

INFECTIOUS DISEASE CONTROLS (SEROLOGY)




ACUSERA



INFECTIOUS DISEASE CONTROLS

THIRD PARTY, MULTI-MARKER CONTROLS DESIGNED TO DELIVER ACCURATE & RELIABLE RESULTS



BENEFITS

Our Acusera Infectious Disease (Serology) Controls are designed to deliver a cost effective, high quality solution for the analysis of infectious diseases whilst producing trustworthy results time and time again. Covering a wide range of infectious diseases, including HIV, Hepatitis, EBV, ToRCH, and Lyme Disease, our controls are compatible for use on some of the most popular immunoassay platforms including Roche, Abbott, Siemens and Beckman among others.



Liquid ready-to-use

• All samples are provided in a user-friendly, liquid ready-to-use format significantly reducing preparation time and the risk of pipetting errors.



Commutability

• Manufactured from human plasma each control is designed to react to the test system in the same manner as the patient sample, helping to meet ISO 15189:2012 requirements.



True third party controls

• Designed to deliver an independent, unbiased assessment of performance with any instrument or method the Acusera range will help to meet ISO 15189:2012 requirements and eliminate the need for multiple instrument specific controls.



Reduced waste

• With a working stability of 60 days at 2°C to 8°C waste and costs are kept to a minimum.



Consolidation

• The availability of multi-marker controls will reduce the number of individual controls required ultimately reducing costs, time and storage space.



Clinically relevant

• Designed to challenge clinically relevant ranges our low reactive samples will ensure accurate and reliable instrument performance.



Acusera 24•7

• Our Acusera Infectious Disease (Serology) Controls are compatible for use with our interlaboratory data management software Acusera 24•7.

INFECTIOUS DISEASE CONTROLS

Lyme Disease (Borrelia burgdorferi) 🖡 👖

Lyme Disease is an infectious disease caused by the bacterium Borrelia burgdorferi and spread by ticks.

Our control delivers a true third-party solution for the detection of Lyme Disease on most immunoassay analysers. All samples are conveniently supplied in a user-friendly, liquid ready-to-use format.

Analytes

Borrelia burgdorferi IgG | Borrelia burgdorferi IgM

Size	Cat. No.	Benefits
1×5 ml	SR10345	 Liquid ready-to-use
1×5 ml	SR10346	 Human based plasma
		 Open vial stability of 60 days at 2°C to 8°C
	l x 5 ml	I x 5 ml SR10345

• Suitable for use with most immunoassay analysers

Torch 🚺 🕯

ToRCH is most commonly associated with congenital anomalies caused by a variety of pathogens including *Treponema pallidum* (syphilis), Varicella Zoster Virus, Rubella, and Cytomegalovirus. Most ToRCH infections cause mild maternal morbidity but can have serious consequences on the foetus.

Our ToRCH portfolio includes positive controls for both IgG and IgM antibodies in addition to a negative control. Each control is manufactured using human plasma and is suitable for use with most immunoassay analysers. The availability of liquid ready-to-use samples helps to reduce preparation time and the potential for human error.

Analytes - ToRCH Negative

Cytomegalovirus (CMV) IgG | Cytomegalovirus (CMV) IgM | Epstein Barr Virus (EBV) EBNA IgG | Epstein Barr Virus (EBV) VCA IgG Epstein Barr Virus (EBV) IgM | *Helicobacter pylori* IgG | Herpes Simplex Virus I (HSV-1) IgG | Herpes Simplex Virus 2 (HSV-2) IgG Herpes Simplex Virus I (HSV-1) IgM | Herpes Simplex Virus 2 (HSV-2) IgM | Measles IgG | Mumps IgG | Rubella IgG | Rubella IgM Toxoplasma gondii IgG | Toxoplasma gondii IgM | Treponema pallidum (Syphilis) IgG | Varicella Zoster Virus (VZV) IgG

Analytes - ToRCH IgG Positive

Cytomegalovirus (CMV) IgG | *Helicobacter pylori* IgG | Herpes Simplex Virus I (HSV-1) IgG | Herpes Simplex Virus 2 (HSV-2) IgG Measles IgG | Mumps IgG | Rubella IgG | Toxoplasma gondii IgG | *Treponema pallidum* (Syphilis) IgG | Varicella Zoster Virus (VZV) IgG

Analytes - ToRCH IgM Positive

Cytomegalovirus (CMV) IgM | Herpes Simplex Virus I (HSV-1) IgM | Herpes Simplex Virus 2 (HSV-2) IgM | Rubella IgM Toxoplasma *gondii* IgM

Description	Size	Cat. No.
ToRCH Negative Control	6 x 5 ml	SR10347
ToRCH IgG Positive Control	3 x 5 ml	SR10348
ToRCH IgM Positive Control	3×5 ml	SR10349

Benefits

- Liquid ready-to-use
- Human based serum
- Open vial stability of 60 days at 2°C to 8°C
- Suitable for use with most immunoassay analysers

INFECTIOUS DISEASE CONTROLS



EBV is an extremely common virus, spread primarily through saliva causing mononucleosis.

The Acusera EBV control is conveniently supplied liquid ready-to-use and is suitable for us with most immunoassay analysers.

Analytes

Epstein Barr Virus (EBV) EBNA IgG | Epstein Barr Virus (EBV) VCA IgG | Epstein Barr Virus (EBV) IgM

Description EBV Positive Control
 Size
 Cat. No.

 I x 5 ml
 SR10350

Benefits						
 Liquid ready-to-use 						

- Human based serum
- \bullet Open vial stability of 60 days at 2°C to 8°C
- Suitable for use with most immunoassay analysers

Serology 🚺 🛉

A range of positive and negative serology controls are available comprising various infectious diseases including HIV, Hepatitis, HTLV and Syphilis.

Acusera Serology controls are supplied liquid ready-to-use and are suitable for use on most immunoassay analysers.

Analytes - Serology Negative

Anti-HAV | Anti-HBc | Anti-HBs | Anti-HCV | Anti-HIV | / 2 | Anti-HTLV | / 2 | HAV IgM | HBc IgM | HBcAg | HBsAg HIV P24Ag | *Treponema pallidum* (Syphilis) IgG

Analytes - Serology I Positive

Anti-HBc | Anti-HCV | Anti-HIV | / 2 | Anti-HTLV | / 2 | HBsAg | Treponema pallidum (Syphilis) IgG

Analytes - Serology II Positive Anti-HAV | Anti-HBc | Anti-Hbe | Anti-HBs

Analytes - Serology III Positive

HAV IgM | HBc IgM

Description	Size	Cat. No.
Serology Negative Control	6 x 5 ml	SR10351
Serology I Positive Control	3×5 ml	SR10352
Serology II Positive Control	3×5 ml	SR10353
Serology III Positive Control	3×5 ml	SR10354

Benefits

- Liquid ready-to-use
- Human based plasma
- Open vial stability of 60 days at 2°C to 8°C
- Suitable for use with most immunoassay analysers

ANALYTE INDEX

			ToRCH				Serology				
		Lyme Disease (Borrelia burgdorferi)	ToRCH Negative	ToRCH IgG Positive	ToRCH IgM Positive	Epstein Barr Virus (EBV)	Serology Negative	Serology Positive	Serology II Positive	Serology III Positive	
А	Anti-HAV						Х		Х		
	Anti-HBc						Х	Х	Х		
	Anti-Hbe						Х		Х		
	Anti-HBs						Х		Х		
	Anti-HCV						Х	Х			
	Anti-HIV I / 2						Х	Х			
	Anti-HTLV I / 2						Х	Х			
В	Borrelia burgdorferi IgG	Х									
	Borrelia burgdorferi IgM	Х									
С	Cytomegalovirus (CMV) IgG		Х	×	Х						
	Cytomegalovirus (CMV) IgM		Х								
Е	Epstein Barr Virus (EBV) EBNA IgG		Х			Х					
	Epstein Barr Virus (EBV) VCA IgG		Х			Х					
	Epstein Barr Virus (EBV) IgM		Х			Х					
н	HAV lgM						Х			Х	
	HBc IgM						Х			Х	
	HbeAg						Х				
	HBsAg						Х	Х			
	Helicobacter þylori IgG		Х	×							
	Herpes Simplex Virus I (HSV-1) IgG		Х	Х							
	Herpes Simplex Virus 2 (HSV-2) IgG		Х	Х							
	Herpes Simplex Virus I (HSV-I) IgM		Х		Х						
	Herpes Simplex Virus 2 (HSV-2) IgM		Х		Х						
	HIV P24Ag						Х				
М	Measles IgG		Х	Х							
	Mumps IgG		Х	Х							
R	Rubella IgG		Х	Х							
	Rubella IgM		Х		Х						
т	Toxoplasma gondii IgG		Х	Х							
	Toxoplasma gondii IgM		Х		Х						
	Treponema pallidum (Syphilis) IgG		Х	Х			Х	Х			
V	Varicella Zoster Virus (VZV) IgG		Х	Х							

NOTES









nly.For

LT708 OCT20

Information correct at time of print. Product availability may vary from country to country. Some products may be for Research use Only.For more information on product application and availability, please contact us. Address: One Broadway, 14th Floor, Cambridge, MA 02142,**U**.S.A. Tel:**(+1)**617-500-2741. Website: https://www.bgi.com/us/. Email: info@bgiamericas.com.